

- (8) Provide arrangements for pumping and baling of water from excavations and foundations wherever and whenever necessary with his own pumping apparatus including necessary leading drains, slump pits, etc.
- (9) Afford facilities to any other parties employed upon the work by the P. W. D., so that their work may proceed during the progress of the contract, and give such persons the use of ordinary scaffolding and ladders.
- (10) The contractor is responsible for all accidents to workmen, etc., on the work and he must take precaution against all risk of accidents and if necessary provide for the same by Insurance at the proper time.

Note.—(b) It is the business of the contractor to make his own arrangements for quarries and supplies of materials.

23. Chamundi Brand Cement alone to be used.

Detailed estimate for breach filling of Bagur-Naikankere Reg. No. 87 of Hosdurga Taluk.

Serial No.	Details of work	Unit	Quantity	Rate	Rates tendered by contract	
					In words	In figures
				Rs. a. p.	Rs. a. p.	Rs. a. p.
1	Earthwork excavation of the old bund, removing and refilling scours at toe of bund in front including lead and lift	C.yd.	2,800	0 4 0		
2	Puddle wall of good retentive clay	"	700	0 10 0		
3	Jelly drain	"	144	1 0 0		
4	Earthwork embankment with 50% of good bed earth and 50% gravel carted with $\frac{1}{2}$ mile lead and consolidated after thorough mixing and watering	"	8,440	0 7 0		
5	Dismantling and rebuilding old revetment	"	66	0 12 0		
6	New revetment with 9" jelly backing	"	335	1 8 0		
7	Turfing the slopes of bund	S.yd.	869	0 1 0		
8	Opening out a natural weir towards left—Earthwork	C.yd.	370	0 3 0		
	Rough stone body wall	"	17	1 8 0		
	Pointing with cement mortar	Sqr.	3 00	4 0 0		
9	Repairs to existing weir on the right—					
	(a) Dismantling the damaged portion	C.ft.	..	0 0 3		
	(b) Burnt brick in surki mortar	"	..	0 5 0		
	(c) Plastering in surki mortar	Sqr.	..	4 8 0		
	(d) Removing and adjusting burnt stone slabs in surki mortar	S.ft.	..	0 1 6		
	(e) Cement pointing	Sqr.	..	4 0 0		
	(f) Old rough stone wall with new jelly	C.yd.	..	0 12 0		
	(g) New rough stone wall	"	..	1 8 0		
10.	Repairs to front and rear cisterns—					
	(a) Burnt brick in surki mortar	C.ft.	..	0 5 0		
	(b) Surki mortar plastering	Sqr.	..	4 8 0		

S. RAMASWAMY,
Executive Engineer.

KADUR DIVISION.

Notification dated 24th February 1939.

1. Sealed tenders will be received at the Office of the Executive Engineer, Kadur Division, up to 3 p. m. on 20th March 1939, for constructing a Girder Bridge across Vedavathi River near Yagati village in Kadur Taluk.

2. Tenders in the prescribed form obtainable from the Office of the Executive Engineer, Kadur Division, Chikmagalur, should be addressed to the Executive Engineer, Kadur Division, Chikmagalur, in a sealed cover and superscribed as "Tender for constructing a Girder Bridge across Vedavathi River near Yagati village in Kadur Taluk." The name of the tenderer should also be superscribed on the top of the cover.

3. Each tender must be accompanied by a treasury challan for Rs. 1,622 (in words) Rupees. One thousand six hundred and twenty-two only credited under 17-A., P. W. Deposits in Government Treasury. The earnest money of the successful tenderer will be retained as security deposit for the due fulfilment of the contract. Such a deposit in cash will not carry any interest. Tenders not accompanied by earnest money may not be considered.

4. The tenders will be opened in the presence of such tenderers who wish to be present on 21st March 1939 at Chikmagalur. The final acceptance of the tender will rest with the Superintending Engineer, who does not bind himself to accept the lowest or any tender, or to assign any reason whatever for the rejection of any.

5. The name of the successful tenderer will be posted on the Notice Board in the Executive Engineer's Office in due course. Within eight days of the acceptance of the tender, the successful tenderer will be required to execute an agreement in the departmental schedule contract form, for the due fulfilment of the contract.

6. Failure to comply with the condition 5 above, or to agree to carry out the work in accordance with the specifications and agreements in force, will entail forfeiture of the earnest money.

7. The earnest money of rejected tenders will be returned on submission of the receipt originally granted, along with an application to the Executive Engineer.

8. Copies of contract documents, schedules and drawings may be seen at any time at the Executive Engineer's Office at Chikmagalur, on all working days between 11 A.M. and 5 P.M.

9. Specific rates should be given for each item in the schedule accompanying the tender and the rates should be in rupees, annas and pies and expressed in words and figures.

10. Any rates or lumpsum amounts for the items not called for, if tendered by the tenderer, will not be taken notice of. The rates for such items may be entered in a separate schedule with data and reasons for the same.

11. No alterations which are made by the tenderers in the tender form in the nomenclature of the items of work will be recognised and if corrections are made, the tenders are liable to rejection.

12. There should be no alterations or erasures in the tenders in the rates of items and any corrections made in the rates should be attested to, and the number of corrections, if any, in each page, noted at the foot of the same by the tenderer.

13. No reference should be made to the Public Works Department schedule of rates.

14. In the event of the tender being submitted by a firm, it must be signed separately and severally by each member thereof, or in the event of absence of any partner, it must be signed on his behalf by a person holding power-of-attorney authorising him to do so.

15. When once the rates tendered have been accepted, they will not be revised under any circumstances. In regard to items of work not tendered, the rates for the same will be calculated by the Executive Engineer, on the basis of current rates for materials and labour with a contractor's profit of 5 per cent as may be approved by the Superintending Engineer. This shall be final and legally binding on the tenderer.

16. The quantities given in the schedule are only approximate and the drawings shown to the contractor are only tentative and are liable to alterations, omissions, deductions or additions, at the discretion of the Executive Engineer or his representative. The tendered rates will hold good for any quantity whether higher or lower than those given in the enclosed schedule.

17. The works should be completed and handed over in a tidy condition to the Public Works Department by the end of December 1940, failing which, the Executive Engineer may, at his discretion, levy a penalty of Rs. 100 per fortnight, which will ordinarily be recovered from the contractor's outstandings for the period exceeded by him beyond the time fixed and until the work is completed and handed over.

18. In all matters of disputes of any kind not specially provided for in the agreement or of rates, penalties, measurements, quality of work, etc., the decision of the Chief or the Superintending Engineer shall be final and legally binding.

19. No claim for damages for delays caused by officers of the department in the execution of the work will be considered, whatever may be the reasons for such delays. Contractors should bear this in mind when tendering for the work. Extension of time due to delays caused by the departmental officers will, however, be considered on the merits of each case.

20. The contract should not be sublet.

21. All materials, tools and plant and machinery that will be supplied by the Executive Engineer in the interest of the work shall be accepted by the tenderer at the rates fixed by the Executive Engineer. The tenderer will pay the hire on tools and plant and machinery as per rules from the date of taking over of such machinery, tools and plant from the Stores to the date of return thereto, the dates, considered being the dates of acknowledgments of the vouchers in each transaction.

22. "Chamundi" brand cement must be used for the work.

23. The contractor should arrange for the payment of royalty and tolls.

Note.—(a) The contractor should at his own cost—

- (1) Provide rods, stakes, ropes and labour required in setting out the works.
- (2) Provide all necessary scaffolding, centering, labour and appliances for hoisting.
- (3) Provide mortar mills and sheds, to keep materials under cover and also for workmen.
- (4) Arrange for protecting work during inclement weather.
- (5) Supply requisite temporary lights, water cisterns, water pumps and hoses, sieves, parabs, shoring, strutting and other requisite protective appliances during the progress of the work.
- (6) Supply all water required for work and workmen and shall provide temporary latrines and drains.
- (7) Clean away all dirt, rubbish, superfluous materials and debris as they accumulate.
- (8) Provide arrangements for pumping and baling of water from excavations and foundations wherever and whenever necessary with his own pumping apparatus including necessary leading drains, slump pits, etc.
- (9) Afford facilities to any other parties employed upon the work by the P. W. D., so that their work may proceed during the progress of the contract, and give such persons the use of ordinary scaffolding and ladders.
- (10) The contractor is responsible for all accidents to workmen, etc., on the work and he must take precaution against all risk of accidents and if necessary provide for the same by insurance at the proper time.

Note.—(b) It is the business of the contractor to make his own arrangements for quarries and supplies of materials.

Abstract estimate for constructing a Girder Bridge across Vedavathi River near Yegati Village in Kadur Taluk.

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		
	"A" Bridge.				
1	Jungle clearing and forming site	Sq.yd.		L. S.	
2	Earthwork excavation in hard soil for foundations,				
	(a) Hard soil including gravel	C.yd.		141	
	(b) Soft rock	"		140	
3	Benching in hard rock for foundation, average				
	4" to 6" depth	S.ft.		749	
	Do do 6 to 12" depth	"		340	
4	Laying burnt stone jelly concrete in Surki cement				
	combination mortar (1 : 6) Proportion complete				
	in layers of 4" well tamped with watering, etc.	C.ft.		2,962	
	(a) Do do without cement	"		2,962	
5	Laying burnt stone jelly concrete in cement mortar				
	(1 : 3 : 6) Proportions:—(Cement Chamudi Brand)	"		1,020	
	(a) Do do surki mortar only.	"		1,020	
6	Burnt size stone in surki cement combination				
	mortar (1 : 8) Proportion with through bond				
	stones 6' apart, etc., complete	"		7,561	
7	Burnt size stone in (1 : 6) cement combination				
	mortar for central pier	"		2,886	
	(a) Do do without cement	"		2,886	
8	Extra charges for dressing cut water masonry	Sqr.		10.36	
9	Cement concrete bearing slabs (1 : 3 : 6) cast in				
	side with light reinforcement $\frac{1}{2}$ " ϕ bar 9" C to C				
	and exposed faces plastered smooth using (1 : 3)				
	cement mortar complete	C.ft.		206	
10	Burnt stone slabs 6" thick dressed and fixed in				
	cement mortar (1 : 6) for coping	S.ft.		156	
11	Providing carting, hoisting and fixing R. S. beams				
	of Tata's tested quality including bolts anchor				
	plates, etc., complete with two coats of paint	Cwt.		458	
12	R. C. C. deck (1 : 2 : 4) cast in situ with reinforce-				
	ment complete as per design including centring				
	charges laying, curing and with exposed faces				
	finished smooth	C.ft.		2,040	

No.	Items of work	Unit	Rate	Quantity	Cost
13	Providing $\frac{1}{2}$ " expansion joints in R. C. C. deck slabs and filling it with bitumen or other approved material	R.ft.	Rs. a. p.	102	
14	Providing and fixing three rows of $1\frac{1}{2}$ " G. I. Pipe hand railing in angle iron uprights at 6' intervals as per type design with ends fixed into pilasters.	"		444	
15	Cement concrete (1:4:8) ornamental pilasters cast as per design including plastering smooth with cement mortar (1:3) complete	Nos.		20	
16	Cement pointing to masonry with (1:3) cement mortar after raking joints ($1\frac{1}{2}$ " deep) complete.	Sqr.		38.33	
17	New rough stone work for left embankment	C.yd.		30	
"B" APPROACHES.					
1	Earthwork excavating and forming bank with watering and consolidating to profile, etc., complete including lead charges.	C.yd.		1,240	
2	Collecting, breaking stacking and consolidating burnt stone road metal with lead and watering charges, etc., complete	"		195	
3	Do do gravel	"		65	
4	Do do sand	"		20	

C. R. IYENGAR,
Executive Engineer.

MEDICAL DEPARTMENT

KRISHNARAJENDRA HOSPITAL, MYSORE.

Abstract Notice dated 7th February 1939.

Sealed tenders for the supply of Bedding and Clothing required for the use of Krishnarajendra Hospital for the year 1939 will be received by the undersigned on Saturday the 11th March 1939 at 11 A.M. at the Krishnarajendra Hospital, Mysore.

For further particulars, *vide Mysore Gazette* of 16th February 1939, Part VI, pages 317-318.

J. F. ROBINSON,
Durbat Surgeon and Medical Officer.

EPIDEMIC DISEASES HOSPITAL, MYSORE.

Notice dated 22nd February 1939.

The public are hereby informed that the unserviceable and condemned articles of the undermentioned list belonging to this Institution will be sold by public auction on Tuesday, the 28th March 1939 between 9 and 10 A.M. in the Hospital premises. Intending bidders may present and the full amount of the bid of each lot must be paid immediately by the bidder in whose favour the bid stands, and the receipt obtained thereof. Failure in payment of the full amount of the bid, each lot of the articles will be resold at the cost of the first bidder and the amount due to Government thereon will be recovered from him.

LIST OF UNSERVICEABLE AND CONDEMNED ARTICLES.

Sl. No.	Names of Articles	Number
1.	Water boiler (Copper)	1
2.	Bindige (Copper)	1
3.	Hande (Copper)	2
4.	Wooden Screens	2
5.	Wooden cots	4
6.	Screen frames	2
7.	Wall Lockers (wooden)	30
8.	Zinc tub (bath)	1
9.	Iron Cots	6
10.	Empty bottles	2
11.	Al. Chambu	2

M. HIRANYAIA,
District Medical Officer,
Mysore District.